

Safety Data Sheet according to Regulation (EU) 2015/830 Issue date: 29/04/2021

| SECTION 1: Ide | entification of the substance/mix | ture and of the company | y/undertaking |
|--|---|--|--|
| 1.1. Product ider | ntifier | | |
| Trade name | : SCRUE | SKILLER ULTRA | |
| Name | : Triclop | yr butoxy-ethyl ester 24% + Clop | yralid 6% EC |
| Product code | : SHA 12 | 28014 A | |
| PCS No. | : 06734 | | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | | | |
| 1.2.1. Relevant ider | ntified uses | | |
| Main use category | : Herbicio | le | |
| 1.2.2. Uses advised | • | | |
| No additional inform | | | |
| 1.3. Details of the supplier of the safety data sheet | | | |
| 400056 Mumbai - In | siness Park, Dashrathlal Joshi Road, Vile F dia 5 - F + 91 22 6678 2828 | arle (West) | |
| 1.4. Emergency tel | ephone number | | |
| Emergency number | : 112 | | |
| Country | Organisation/Company | Address | Emergency number |
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) |

| SECTION 2: Hazards identification | |
|--|------|
| 2.1. Classification of the substance or mixture | |
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| Flammable liquids, Category 3 | H226 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2 | H319 |
| Skin sensitisation, Category 1 | H317 |
| Specific target organ toxicity — Single exposure, Category 3, Narcosis | H336 |
| Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | H335 |
| Specific target organ toxicity — Repeated exposure, Category 2 | H373 |
| Aspiration hazard, Category 1 | H304 |
| Hazardous to the aquatic environment — Acute Hazard, Category 1 | H400 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 1 | H410 |
| Full text of H statements : see section 16 | |
| Adverse physicochemical, human health and environmental effects | |

No additional information available

| 2.2. Label elements | | | | |
|-----------------------------|-----------------------|--------------|-------|----------|
| Labelling according to Regu | Ilation (EC) No. 1272 | /2008 [CLP] | | |
| Hazard pictograms (CLP) | | | | \wedge |
| | JAK > | | | ¥ 3 |
| | | · · · | | - See |
| | | | | |
| | GHS02 | GHS07 | GHS08 | GHS09 |
| Signal word (CLP) | : Danger | | | |
| Hazardous ingredients | : Triclopyr Butoxy | ethyl ester/ | | |

29/04/2021

Safety Data Sheet according to Regulation (EU) 2015/830

| Hazard statements (CLP) | H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness. H373 - May cause damage to kidneys through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects. |
|--------------------------------|---|
| Precautionary statements (CLP) | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 - Do NOT induce vomiting. P391 - Collect spillage |
| EUH-statements | : EUH401 - To avoid risks to human health and the environment, comply with the instructions for use. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|--------|--|
| Triclopyr Butoxyethyl ester | (CAS-No.) 64700-56-7 (EC-No.) 265-024-8 | 23.3 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| clopyralid (ISO); 3,6-dichloropyridine-2- carboxylic acid | (CAS-No.) 1702-17-6 (EC-No.) 216-935-4 (EC Index-No.) 607-231-00-1 | 5.8 | Eye Dam. 1, H318 |
| N,N-dimethyl fatty acid amide - Reaction mass of Dimethyloctanamide (CAS: 1118-92-9) and Dimethyldecanamide (CAS: 14433-76-2) | (EC-No.) 909-125-3 (REACH-no) 01-2119974115-37 | 5 – 10 | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |
| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salt | (CAS-No.) 68953-96-8 (EC-No.) 273-234-6 (REACH-no) 01-2119964467-24 | 1 – 5 | Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| butan-1-ol; n-butanol | (CAS-No.) 71-36-3 (EC-No.) 200-751-6 (EC Index-No.) 603-004-00-6 (REACH-no) 01-2119484630-38 | 0 – 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|---|
| First sides a second state of the second s |
| First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a doctor. |
| First-aid measures after skin contact : Remove contaminated clothes. After contact with skin, wash immediately and thoroughly with water and soap. |
| First-aid measures after eye contact : Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice. |
| First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor. |
| 4.2. Most important symptoms and effects, both acute and delayed |
| No additional information available |
| 4.3. Indication of any immediate medical attention and special treatment needed |
| No additional information available |

Safety Data Sheet according to Regulation (EU) 2015/830

SECTION 5: Firefighting measures

Extinguishing modia -

| 5.1. Extinguishing media | | |
|--|---|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. | |
| 5.2. Special hazards arising from the substance or mixture | | |
| Fire hazard | : In case of fire and/or explosion do not breathe fumes. | |
| Explosion hazard | : Risk of explosion if heated under confinement. May form flammable/explosive vapour-air mixture. | |
| Hazardous decomposition products in case of fire | : Carbon monoxide. Nitrogen oxides. Carbon dioxide. Toxic fumes may be released. May relea flammable gases. | |
| 5.3. Advice for firefighters | | |
| Precautionary measures fire | : Keep container tightly closed and away from heat, sparks and flame. Keep away from combusti materials. | |
| Firefighting instructions | : Appropriate self-contained breathing apparatus may be required. Get the package away from the fir this can be done without risk. Prevent fire fighting water from entering the environment. | |
| Protection during firefighting | : Wear fire/flame resistant/retardant clothing. Do not enter fire area without proper protective equipme including respiratory protection. | |
| Other information | : Do not allow material to contaminate surface water system. In case of fire, corrosive and harmful gas come free. | |

| SECTION 6: Accidental relea | ase measures |
|---|---|
| 6.1. Personal precautions, prot | ective equipment and emergency procedures |
| 6.1.1. For non-emergency personne | əl |
| Protective equipment | : Wear suitable protective clothing, gloves and eye or face protection. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). EN 166. Wear eye protection. Personal protective equipment. EN ISO 20345. |
| Emergency procedures | : Evacuate personnel to a safe area. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Wear suitable hand, body and head protection. |
| 6.2. Environmental precautions | |
| Danger of pollution of drinking water authorities if liquid enters sewers or poly | when product enters the soil. Do not allow run-off from fire fighting to enter drains or water courses. Notify ublic waters. |
| 6.3. Methods and material for c | ontainment and cleaning up |
| For containment | : Label the container and provide warning statements to prevent any contact. |
| Methods for cleaning up | : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean spills promptly. Wash contaminated area with large amounts of water. |

| 6.4. Reference to other sections | | | | |
|----------------------------------|-------|----------|----------|----------|
| 6.4 Deference to other continue | | | | |
| | C A D | oforonco | to other | coctione |

No additional information available

| SECTION 7: Handling and storage | | |
|---|--|--|
| 7.1. Precautions for safe handli | ng | |
| Additional hazards when processed | : Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). | |
| Precautions for safe handling | Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and wher leaving work. Remove contaminated clothing and shoes. Wash clothing and equipment after handling. | |
| 7.2. Conditions for safe storage, including any incompatibilities | | |
| Technical measures | : Ensure adequate ventilation, especially in confined areas. Store locked up. | |
| Storage conditions | : Keep only in original container. Store in a dry place. Store in a closed container. Store in a well ventilated place. Protect from sunlight. | |
| Storage temperature | : 0-30 °C | |
| Packaging materials | : Keep only in the original container in a cool, well-ventilated place away from combustible materials. | |
| 7.3. Specific end use(s) | | |
| No additional information available | | |

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Eye protection:

EN 166. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection:

Long sleeved protective clothing

Respiratory protection:

Extra personal protection: P2 filter respirator for harmful particles. Extra personal protection: P3 filter respirator for toxic particles

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---|---------------------|
| Colour | : No data available |
| Odour | : No data available |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

| 10.1. Reactivity |
|--|
| Stable under normal conditions of use. |
| 10.2. Chemical stability |
| The product is stable at normal handling and storage conditions. |
| 10.3. Possibility of hazardous reactions |
| Stable under normal conditions of use. |
| 10.4. Conditions to avoid |
| Heat. High temperature. Open flame. Direct sunlight. |
| 10.5. Incompatible materials |
| No additional information available |
| 10.6. Hazardous decomposition products |

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet according to Regulation (EU) 2015/830

| SECTION 11: Toxicological information | | | | |
|--|--|--|--|--|
| 11.1. Information on toxicological effects | | | | |
| Acute toxicity (oral) | : Not classified | | | |
| Acute toxicity (dermal) | : Not classified | | | |
| Acute toxicity (inhalation) | : Not classified | | | |
| Triclopyr Butoxyethyl ester (64700-56-7) | | | | |
| LD50 oral rat | 803 mg/kg bodyweight | | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight | | | |
| LC50 inhalation rat (mg/l) | > 4,8 mg/l/4h (max. attainable concentration) | | | |
| clopyralid (ISO); 3,6-dichloropyridine-2-carboxylic acid (1702-17-6) | | | | |
| LD50 oral rat | > 5000 mg/kg bodyweight | | | |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight | | | |
| LC50 inhalation rat (mg/l) | > 1 mg/l/4h (maximum attainable concentration) | | | |
| Skin corrosion/irritation | : Causes skin irritation. | | | |
| Serious eye damage/irritation | : Causes serious eye irritation. | | | |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. | | | |
| Germ cell mutagenicity | : Not classified | | | |
| Carcinogenicity | : Not classified | | | |
| Reproductive toxicity | : Not classified | | | |
| STOT-single exposure | : May cause drowsiness or dizziness. May cause respiratory irritation. | | | |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. | | | |
| Aspiration hazard | : May be fatal if swallowed and enters airways. | | | |
| SECTION 12: Ecological information | | | | |
| 12.1. Toxicity | | | | |
| Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life. | | | | |

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

| Triclopyr Butoxyethyl ester (64700-56-7) | | | |
|--|---|--|--|
| LC50 fish 1 | 0,36 mg/l (96 h; <i>L. macrochirus</i>) | | |
| EC50 Daphnia 1 | 2,9 mg/l (48 h; <i>D. magna</i>) | | |
| ErC50 (algae) | 0,192 mg/l (72 h; <i>N. pelliculosa</i>) | | |
| ErC50 (other aquatic plants) | 21,21 mg/l (<i>L. gibba</i>) | | |
| clopyralid (ISO); 3,6-dichloropyridine-2-carbo | oxylic acid (1702-17-6) | | |
| LC50 fish 1 | > 99,9 mg/l (<i>Rainbow trout</i>) | | |
| EC50 Daphnia 1 | > 99 mg/l (<i>Daphnia magna</i>) | | |
| ErC50 (algae) | 30 mg/l (<i>Green algae</i>) | | |
| 12.2. Persistence and degradability | | | |
| clopyralid (ISO); 3,6-dichloropyridine-2-carboxylic acid (1702-17-6) | | | |
| Persistence and degradability | Not readily biodegradable. | | |
| 12.3. Bioaccumulative potential | | | |
| clopyralid (ISO); 3,6-dichloropyridine-2-carboxylic acid (1702-17-6) | | | |
| Partition coefficient n-octanol/water (Log Pow) | -2,53 | | |
| 12.4. Mobility in soil | | | |
| Triclopyr Butoxyethyl ester (64700-56-7) | | | |
| Surface tension | 62,9 mN/m | | |
| clopyralid (ISO); 3,6-dichloropyridine-2-carboxylic acid (1702-17-6) | | | |
| Surface tension | 55 mN/m (21.5 °C) | | |
| Partition coefficient n-octanol/water (Log Koc) | Very mobile | | |
| 12.5. Results of PBT and vPvB assessment | | | |
| No additional information available | | | |

Safety Data Sheet

according to Regulation (EU) 2015/830

12.6. Other adverse effects No additional information available SECTION 13: Disposal considerations 13.1. Waste treatment methods Regional legislation (waste) : Disposal must be done according to official regulations. Product/Packaging disposal recommendations Avoid release to the environment. Disposal must be done according to official regulations. : Do not dispose of the packaging without first carrying out the necessary cleaning. Refer to manufacturer/supplier for information on recovery/recycling. **SECTION 14: Transport information** In accordance with ADR / RID / IMDG / IATA / ADN ADR IMDG ΙΑΤΑ ADN RID 14.1. UN number UN 1993 UN 1993 UN 1993 UN 1993 UN 1993 14.2. UN proper shipping name FLAMMABLE LIQUID, FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, FLAMMABLE LIQUID, FLAMMABLE LIQUID, N.O.S. N.O.S. N.O.S. N.O.S. **Transport document description** UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, LIQUID, N.O.S., 3, III, LIQUID, N.O.S., 3, III, (D/E), LIQUID, N.O.S., 3, III, LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENT ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY HAZARDOUS ALLY HAZARDOUS HAZARDOUS HAZARDOUS HAZARDOUS

14.3. Transport hazard class(es)

| 3 | 3 | 3 | 3 | 3 |
|--|--|--|--|--|
| | | | | |
| 14.4. Packing group | | | | |
| III | | III | III | III |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes |

Marine pollutant : Yes No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation (ADR) Hazard identification number (Kemler No.) Orange plates

P001, IBC03, LP01, R001 MP19 T4 TP1, TP29 LGBF FL 3 V12 S2 30

274, 601

51

E1

: F1



: D/E

: 223, 274, 955

5 L

Transport by sea Special provisions (IMDG) Limited quantities (IMDG)

Tunnel restriction code (ADR)

Safety Data Sheet

according to Regulation (EU) 2015/830

| Excepted quantities (IMDG) | : E1 |
|--|---------------------------|
| Packing instructions (IMDG) | : LP01, P001 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-E |
| Stowage category (IMDG) | : A |
| Air transport | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 3L |
| Inland waterway transport | |
| Classification code (ADN) | : F1 |
| Special provisions (ADN) | : 274, 601 |
| Limited quantities (ADN) | : 5L |
| Excepted quantities (ADN) | : E1 |
| Equipment required (ADN) | : PP, EX, A |
| Ventilation (ADN) | : VE01 |
| Number of blue cones/lights (ADN) | : 0 |
| Rail transport | |
| Classification code (RID) | : F1 |
| Special provisions (RID) | : 274, 601 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBF |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE4 |
| Hazard identification number (RID) | : 30 |
| 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code | |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition regulations

: according to Regulation (EU) 2015/830.

15.1.2. National regulations

- - . . ,

Refer to protective measures listed in Sections 7 and 8

15.2. Chemical safety assessment

Refer to protective measures listed in Sections 7 and 8

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 16: Other information

| Classification according to Regulation (EC) No. 1272/2008 [CLP]: | | |
|--|------|--|
| Flam. Liq. 3 | H226 | |
| Skin Irrit. 2 | H315 | |
| Eye Irrit. 2 | H319 | |
| Skin Sens. 1 | H317 | |
| STOT SE 3 | H336 | |
| STOT SE 3 | H335 | |
| STOT RE 2 | H373 | |
| Asp. Tox. 1 | H304 | |
| Aquatic Acute 1 | H400 | |
| Aquatic Chronic 1 | H410 | |

| Full text of H- and EUH-state | |
|-------------------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H373 | May cause damage to kidneys through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |

Other data

| Date of issue: | 29.04.2021 |
|------------------------|------------|
| Version: | 1.0/IE |
| Replaces: | _ |
| Indication of changes: | - |
| | |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.