

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name

VIROPHOR 2.8%

UFI :

5JSF-M05R-R004-2212

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the product

ACID LIQUID Disinfection of footwear - immersion – Indoor/Outdoor Animal accommodation surface disinfection for the control of specific diseases Routine animal accommodation surface disinfection – spray - Indoor

1.3. Details of the supplier of the safety data sheet

Company identification

Kilco (International) Ltd Broomhouses 2 Industrial Estate Old Glasgow Road Lockerbie United Kingdom DG11 2SD +44 (0) 1576 205480

For information regarding this safety data sheet, please contact : regulatory@kersia-group.com

1.4. Emergency telephone number

Emergency phone number

Emergency direct number (24 hours a day, 7 days a week): +44 1273 289451

CARECHEM 24 Great Britain Tel. +44 1865 407333

NHS : 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin corrosion - Category 1AH314: Causes severe skin burns and eye damage.Skin sensitisation - Category 1BH317: May cause an allergic skin reaction.Serious damage to eyes - Category 1H318: Causes serious eye damage.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word : Danger

Contains : Phosphoric Acid+ Sulphuric acid

Hazard statement(s) :

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

Precautionary statement(s) :

P260: Do not breathe spray.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment (see on this label).

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

P501: Disposal of the contents/container must be performed in an approved incinerator or by means of another appliance for heat destruction.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : ACID LIQUID



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

Substance(s)	CAS number(s)	EINECS number(s)	index	No registration REACH	Classification according to Regulation (EC) 1272/2008	SCL M-factor ATE	Туре
10% <= Alcohols C9-11, ethoxylated <= 20%	68439-46-3				Acute Tox. 4 (oral) H302 Eye Dam. 1 H318		(1)
10% <= Phosphoric Acid < 20%	7664-38-2	231-633-2	015-011-00-6	01-2119485924-21 01-2119485924-24	Skin Corr. 1B H314 Met. Corr. 1 H290 Acute Tox. 4 (oral) H302	C ≥ 25% Skin Corr. 1B H314 10% ≤ C < 25% Skin Irrit. 2 H315 Eye Irrit. 2 H319	(1) (2)
5% <= Sulphuric acid < 10%	7664-93-9	231-639-5	016-020-00-8	01-2119458838-20	Skin Corr. 1A H314 Met. Corr. 1 H290	C ≥ 15% Skin Corr. 1A H314 5% ≤ C ≤ 15% Skin Irrit. 2 H315 5% ≤ C ≤ 15% Eye Irrit. 2 H319	(1) (2)
1% <= lodine < 5%	7553-56-2	231-442-4	053-001-00-3	Biocidal active substance, regarded as already registered	Acute Tox. 4 (oral) H302 Acute Tox. 4 (dermal) H312 Acute Tox. 4 (dermal) H332 Skin Irrit. 2 H315 Eye Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335 STOT RE 1 H372 Aquatic Acute 1 H400	M Factor (Acute) 1	(1)
1% <= Alcohols, C12-15, ethoxylated < 5%	68131-39-5	500-195-7			Acute Tox. 4 (oral) H302 Eye Dam. 1 H318 Aquatic Chronic 3 H412		(1)

Туре

(1): Substance classified as hazardous for health and/or the environment

(2) : Substance with an exposure limit at the work station. Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)
 (4) : Substance considered as vPvB (very persistent, very bioaccumulable)

(5): Substance considered as while (very persistent, very
 (5): Substance considered as carcinogenic category 1A
 (6): Substance considered as carcinogenic category 1B

(7) : Substance considered as mutagenic category 1A
 (8) : Substance considered as mutagenic category 1B

(9): Substance considered as reprotoxic category 1B
 (10): Substance considered as reprotoxic category 1A
 (10): Substance considered as reprotoxic category 1B

(11) : Substance considered as endocrine disrupter

(12): Other substance considered hazardous to health or the environment (N) : Nanomaterial

Full text of H- and EUH- phrases : see section 16.

SECTION 4: FIRST AID MEASURES



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again. In case of faintness, get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

To transport the person to the air, to maintain it with the heat and rest.

In the event of contact with the skin :

Take off immediately all contaminated clothing. Wash immediately with plenty of water for 15 minutes at least. If skin irritation or rash occurs: Get medical advice/attention.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion : Rinse mouth. Do NOT induce vomiting. Send to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns. May cause sensitization by skin contact.

Eye contact : Causes serious eye damage.

Ingestion : Can cause severe damage to the stomach or oesophagus. Causes severe burns in mouth and digestive tract.

Inhalation : May cause a respiratory system irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media :

Agents compatible with other products involved into fire. Waterspray.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

> Unsuitable extinguishing media : High pressure water jet

5.2. Special hazards arising from the substance or mixture

Possible formation of toxic gas in case of fire.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit. Collect contaminated firefighting water separately, must not be discharged into the drains. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location. Keep people upwind and away from the location of the flow/leak. Use personal protection equipment.

6.2. Environmental precautions

Intervention limited to trained staff. Do not discharge the product directly to sewer or to environment. Take as soon as possible all incompatible materials away.

6.3. Methods and material for containment and cleaning up

Small spillage :

Absorb with such materials as: Sand. Vermiculite. Recover in a reservoir of help.

Large spillage :

Mark out, soak up with an inert absorbant and pump in an emergency tank. Never return spills in original containers for re-use. Keep in suitable, properly labelled and closed containers for disposal.

6.4. Reference to other sections

Respect protective measures presented at heading 8. Refer to section 13 for the elimination.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

> Product to be handled following good industrial hygiene and safety procedures. Do not breathe spray. Avoid contact with skin, eyes and clothing. Take off immediately all contaminated clothing. Wash the hands and any other zone exposed with a soft soap and water, before eating, drinking, smoking, and before leaving work. Do not eat, drink or smoke in work area. Avoid projections during use. Avoid contact with strong acids and oxidizing agents.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

Storage in the original, closed packaging, between +4°C and +25°C. Do not expose to direct sunlight. Keep protected from frost. Keep away from incompatible matters (see heading 10).

7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

7.3. Specific end use(s)

VIROPHOR 2.8% is for use as a biocide.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

Substance	CAS number	Country	Туре	Value	Unit	Comments	source	
Phosphoric Acid	7664-38-2	GBR	OEL 8h	1	mg/m³		International limit values for chemical agents	
			OEL Short term	2	mg/m³		International limit values for chemical agents	

8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

8.2.1. Appropriate engineering controls :

Ensure adequate ventilation. Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374. Permeation time >= 8h Examples of materials for insulating gloves: Neoprene. PVC Butyl rubber.



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

At the time of applications by spraying, wear a full mask compliant with standard EN 136 fitted with a filter (compliant with standard EN 143) of type: AE2 type filtration.

Thermal hazards : Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace. Handle in accordance with good industrial hygiene practices and the safety instructions. After using, wash systematically all personal protective equipment.

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance
Colour
Odour
Odour threshold
Freezing point
Melting point
Boiling point
Flammability
Lower explosive limit
upper explosive limit
Flash point
Auto-ignition temperature
Decomposition temperature
Pure pH
pH value at 10g/l
kinematic viscosity
Solubility in water
Solubility
Partition coefficient: n-octanol/water
Vapour pressure
Mass density
Relative density
Vapour density
Particle characteristics

Viscous liquid Dark brown Not available Not available Not available Not available Not available Not applicable Not applicable Not applicable Not applicable Not applicable Not available < 1.5 ((20°C)) < 2 Not applicable dissolvable Not applicable Not available Not available 1.16 g/cm³ 1.16 Not available Not applicable

9.2. Other information

Explosive properties Oxidising properties Surface tension Viscosity Evaporation rate: Not applicable Not applicable 29.6±0.3 mN/m 36 cSt Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Hazards linked to exothermal reactions.

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

Not to mix with sodium hypochlorite (bleach) or another product of bleaching. The mixture which would result from this would cause a violent exothermic reaction, followed by a release of chlorine gas.

10.4. Conditions to avoid

High temperatures.

10.5. Incompatible materials

Chlorine-based bleaching agents Alkalines. Chlorinated alkalis. Light metals and/or colored.

10.6. Hazardous decomposition products

In contact with certain metals (aluminium, zinc, copper...), release of hydrogen whose mixtures with air are explosive.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) N°1272/2008

Substance-related data:

Acute toxicity Phosphoric Acid : LC 50 - inhalation - 1h rat 3.846 mg/L. - MSDS supplier Phosphoric Acid : LD 50 - dermal rabbit 2,740 mg/kg. - MSDS supplier Phosphoric Acid : LD 50 - oral rat 500 mg/kg. - MSDS supplier Iodine : LD 50 - oral rat 315 mg/kg. - MSDS supplier Iodine : LD 50 - dermal rabbit 1,425 mg/kg. - MSDS supplier Iodine : LC 50 - inhalation - 4h rat (OECD 403): 4.588 mg/L. - Dust - MSDS supplier Alcohols C9-11, ethoxylated (100%) : LD 50 - oral rat < 2,000 mg/kg. - MSDS supplier Alcohols, C12-15, ethoxylated : LC 50 - inhalation - 4h rat 1.5 - 20.7 mg/L. - MSDS supplier

Skin corrosion/irritation lodine : Skin irritation . Irritating - MSDS supplier

Serious damage to eyes/eye irritation lodine : Eye irritation . Irritating - MSDS supplier Alcohols, C12-15, ethoxylated : Eye contact : . Risk of serious damage of eyes - MSDS supplier Alcohols C9-11, ethoxylated : Serious damage to eyes/eye irritation . Serious damage to eyes - MSDS supplier

Sensitisation Iodine : Skin sensitisation (OECD 429): . Not sensitising - MSDS supplier

Reproductive toxicity Iodine : NOAEL 10 mg/kg/j. - MSDS supplier

Specific target organ toxicity - single exposure lodine : Inhalation : . Irritating to respiratory system. - MSDS supplier



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

> Specific target organ toxicity - repeated exposure Iodine : NOAEL - oral - 100days rat 0.375 mg/kg bw day. Causes damage to the thyroid following repeated or prolonged exposure (STOT-RE Cat. 1). - MSDS supplier

Mix-related data: :

Acute toxicity . Not determined

Skin corrosion/irritation Skin corrosivity . The mix is considered to be corrosive for the skin under the criteria of Regulation 1272/2008/EC.

Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory / skin sensitisation

Skin sensitisation (OECD 429): . The mix is considered to cause cutaneous sensitisation under Regulation 1272/2008/EC. Respiratory sensitisation . The mixture is not considered as a respiratory sensitiser according to 1272/2008/EC Regulation.

Mutagenicity

. The classification criteria are not met given the available data.

Carcinogenicity

. The classification criteria are not met given the available data.

Reproductive toxicity

. The classification criteria are not met given the available data.

Specific target organ toxicity - single exposure . The classification criteria are not met given the available data.

Specific target organ toxicity - repeated exposure . The classification criteria are not met given the available data.

Aspiration hazard

. The classification criteria are not met given the available data.

Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns. May cause sensitization by skin contact.

Eye contact : Causes serious eye damage.

Ingestion : Can cause severe damage to the stomach or oesophagus. Causes severe burns in mouth and digestive tract.

Inhalation : May cause a respiratory system irritation.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

Not concerned

SECTION 12: ECOLOGICAL INFORMATION

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

Acute toxicity Phosphoric Acid : LC 50 - 96h fishes 3 - 3.25 mg/L. - MSDS supplier Iodine : EC 50 - 48h daphnia (Daphnia magna) 0.55 mg/L. - MSDS supplier Iodine : LC 50 - 96h fishes (Oncorhynchus mykiss) 1.67 mg/L. - MSDS supplier Iodine : EC 50 - 72h algae (Desmodesmus subspicatus) 0.13 mg/L. - MSDS supplier Phosphoric Acid : EC 50 - 72H algae (OECD 201): > 100 mg/L. Phosphoric Acid : EC 50 - 48h daphnia (OECD 202): > 100 mg/L. - MSDS supplier Iodine : NOEC - 14days soil 1,000 mg/kg. - MSDS supplier Sulphuric acid (100%) : EC 50 - 24hours daphnia (ISO 6341): 29 mg/L. - MSDS supplier Alcohols, C12-15, ethoxylated : LC 50 - 96h fishes 1.4 - 1.6 mg/L. - MSDS supplier

Chronic toxicity Alcohols, C12-15, ethoxylated : EC 10 - 72h algae 0.092 - 0.151 mg/L. - MSDS supplier

ABIOTIC DEGRADABILITY Iodine : . Fast hydrolysis - MSDS supplier

Bioaccumulation Iodine : Log Pow 2.49 . - MSDS supplier

Mix-related data: :

Acute toxicity fishes . Not determined daphnia . Not determined algae . Not determined

Chronic toxicity . No data available.

Degradability . No data available.

Bioaccumulation . No data available.

Mobility . No data available.

Conclusion :

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

12.6 Endocrine disrupting properties

Not concerned

12.7. Other adverse effects No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/ EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes. Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/ EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: TRANSPORT INFORMATION

ROAD TRANSPORT: Rail/Route (RID/ADR)

14.1 UN no : 1760

14.2 UN proper shipping name : CORROSIVE LIQUID, N.O.S. (Sulphuric acid + Phosphoric Acid)

14.3 Transport hazard class(es) : 8

14.4 Packing group : III Hazard identification number : 80 Label : 8



Tunnel code : (E)

14.5 Environmental hazard : No

14.6 Special precautions for user : No information.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

Limited Quantity (QL): 5L

MARITIME TRANSPORT : IMDG

14.1 UN no :1760

14.2 UN proper shipping name : CORROSIVE LIQUID, N.O.S. (Sulphuric acid + Phosphoric Acid)

14.3 Transport hazard class(es): 8



14.4 Packing group : III

14.5 Environmental hazard Marine pollutant : No

14.6 Special precautions for user : No information. EmS number : F-A, S-B

Limited Quantity (QL): 5L

14.7 Maritime transport in bulk according to IMO instruments : Not concerned

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) $n^{\circ}528/2012$ concerning the making available on the market and use of biocidal products : Active ingredient: lodine

Regulations relating to the hazards from major accidents : SEVESO 3 Directive (2012/18/EC) : Not concerned

Regulations relating to the classification, packaging and labelling of substances and mixtures : Regulation (EC) 1272/2008 amended.

Waste regulations : 2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC Decision 2014/955/EC which establishes the list of hazardous waste.

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals : Not concerned

Protection of workers :



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EU) 2019/1021 of 20 June 2019 on persistent organic pollutants : Not applicable

Regulation (EC) 1005/2009 amended on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors:

This product is regulated by Regulation (EU) 2019/1148:

All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Regulation (EC) 648/2004 : Not concerned

Comply with national and local legislation.

UN Globally Harmonised System (GHS) on Classification and Labelling of Chemical (GB CLP - SI 2020 No. 1567) and UK REACH (SI 2020 No. 1577)

15.2. Chemical safety assessment

This safety data sheet has been drafted taking into account the information from exposure scenarios for the substances making up the mixture.

SECTION 16: OTHER INFORMATION

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version : Not concerned

List of H phrases referred to in section 3 :

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.



Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0 Creation date : 25/10/22 Revision: 25/10/22 Print Date : 12/04/23

H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H332 : Harmful if inhaled.
H335 : May cause respiratory irritation.
H372 : Causes damage to organs through prolonged or repeated exposure.
H400 : Very toxic to aquatic life.
H412 : Harmful to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet : MSDS supplier

Historical : Version 7.0.0 Cancels and replaces previous version .